

Child Well-being In New York

Child Well-being Region Profile: New York State

Life Area: Economic Security Indicators

	Current Number	NYS Current Rate
Children and Youth Living Below Poverty,percent children/youth ages birth-17 years (2011)	960,956	22.8
Children and Youth Receiving Supplemental Nutrition Assistance Program Benefits,percent children/youth ages birth-17 years (2012)	1,208,700	28.4
Children Receiving Free or Reduced-price School Lunch - Public Schools,percent children in grades K-6 (2010/11)	734,413	52.4

Life Area: Physical and Emotional Health Indicators

	Number	Rate
Asthma - Hospitalizations 0-4 years (Three-Year Average),rate/10,000 children ages birth-4 years (2009-2011)	6,705	56.8
Infant Mortality (Three-Year Average),rate/1,000 live births (;2009-2011)	1,242	5.1
Mortality by Age - Adolescents 10-14 years (Three-Year Average),rate/100,000 youth ages 10-14 years (2009-2011)	146	12.1
Mortality by Age - Adolescents 15-19 years (Three-Year Average),rate/100,000 youth ages 15-19 years (2009-2011)	512	37.9
Mortality by Age - Children 1-4 years (Three-Year Average),rate/100,000 children ages 1-4 years (2009-2011)	183	19.5
Mortality by Age - Children 5-9 years (Three-Year Average),rate/100,000 children ages 5-9 years (2009-2011)	120	10.2
Motor Vehicle Crashes - Hospitalizations (Three-Year Average),rate/100,000 youth/young adults ages 15-24 years (2009-2011)	2,599	94.5
Self-Inflicted Injuries - Hospitalizations 10-14 years (Three-Year Average),rate/100,000 youth ages 10-14 years (2009-2011)	243	20.2
Self-Inflicted Injuries - Hospitalizations 15-19 years (Three-Year Average),rate/100,000 youth ages 15-19 years (2009-2011)	1,369	101.2
Self-Inflicted Injuries - Suicide Mortality (Three-Year Average),rate/100,000 youth ages 10-19 years (2009-2011)	76	3
STD - Reported Cases of Chlamydia, Females - all ages,rate/100,000 females all ages (2009-2011)	67,569	674
STD - Reported Cases of Chlamydia, Females 15-19 yrs,rate/100,000 females ages 15-19 years (2009-2011)	24,926	3773.9
STD - Reported Cases of Chlamydia, Males - all ages,rate/100,000 males all ages (2009-2011)	30,482	323
STD - Reported Cases of Chlamydia, Males 15-19 yrs,rate/100,000 males ages 15-19 years (2009-2011)	7,451	1077.1




693,268 children under 3 years

AGE	2011
Under 1 year old	231,872
1 year olds	228,324
2 years olds	233,072
3 years olds	232,971
4 year olds	229,583
5 year olds	230,796




Low-Income Children Ages 3 and 4 Not Enrolled in Preschool: 2009–2011



SOURCE Population Reference Bureau's analysis of data from the U.S. Census Bureau, 2009–11 American Community Survey.

NOTE Data for this and other early childhood indicators are available on the KIDS COUNT Data Center at datacenter.kidscount.org.





How are the kids
in your state?

A child's chances of thriving depend not just on individual, familial and community characteristics, but also on the state in which she or he is born and raised.

datacenter.kidscount.org

Connect Research to **YOUR data**

Economic Security



- **About one in four** children ages five and younger (25%) is living in poverty.⁽²⁾
- An additional **24%** of young children ages five and younger live in low-income working families.⁽²⁾
- **About one in nine** (11%) children ages five and younger has no parent in the labor force.⁽³⁾

For a family of four:

• **poverty** \$22,350/year • **low-income** \$44,700/year



Head Start Dental Home Data 2012

Dental Home - Children

	Answer	Percentage
Children Continuous Accessible Dental Care (at Enrollment)	50,758	80.59%
Children Continuous Accessible Dental Care (at End of Enrollment Year)	56,765	90.13%

Preschool Dental Services (HS and Migrant Programs)

	Answer	Percentage
Received Dental Preventive Care	45,034	82.77%
Completed Oral Health Examination	46,685	85.80%
Diagnosed as Needing Dental Treatment	6,687	14.32%
Received or Are Receiving Dental Treatment	5,338	79.83%

Infant and Toddler Preventive Dental Services (EHS And Migrant Programs)

	Answer	Percentage
EHS and Migrant Dental Exams	6,658	77.68%

Pregnant Women Dental Services (EHS Programs)

	Answer	Percentage
Pregnant Women Dental Exams/Treatment	558	48.31%



County Level Oral Health Data

New York State Community Health Indicator Reports - Oral Health Indicators

About Oral Health Indicators

Oral health survey of 3rd grade children



- o Percentage of 3rd grade children with caries experience # [\(Table\)](#) [\(Map\)](#)
- o Percentage of 3rd grade children with untreated caries # [\(Table\)](#) [\(Map\)](#)
- o Percentage of 3rd grade children with dental sealants # [\(Table\)](#) [\(Map\)](#)
- o Percentage of 3rd grade children with dental insurance # [\(Table\)](#) [\(Map\)](#)
- o Percentage of 3rd grade children with at least one dental visit in last year # [\(Table\)](#) [\(Map\)](#)
- o Percentage of 3rd grade children reported taking fluoride tablets regularly # [\(Table\)](#) [\(Map\)](#)

Age-adjusted percentage of adults who had a dentist visit within the past year # [\(Table\)](#) [\(Map\)](#)

Caries emergency department visit rate per 10,000 (aged 3-5 years) [\(Table + Trends\)](#) [\(Map\)](#)



Medicaid oral health indicators

- o Percentage of Medicaid enrollees with at least one dental visit within the last year # [\(Table + Trends\)](#) [\(Map\)](#)
- o Percentage of Medicaid enrollees with at least one preventive dental visit within the last year # [\(Table + Trends\)](#) [\(Map\)](#)
- o Percentage of Medicaid enrollees (aged 2-20 years) who had at least one dental visit within the last year # [\(Table + Trends\)](#) [\(Map\)](#)

Oral cancer

- o Age-adjusted incidence rate per 100,000 [\(Table + Trends\)](#) [\(Multiple Maps\)](#)
- o Age-adjusted mortality rate per 100,000 [\(Table + Trends\)](#) [\(Multiple Maps\)](#)
- o Mortality per 100,000 (aged 45-74 years) [\(Table + Trends\)](#) [\(Map\)](#)

